Exam Review

Test Conditions

Closed Book, Closed Notes

May use $216 \text{ mm} \times 280 \text{ mm}$ note sheet, *eyes only*.

Calculator allowed.

No electronic organizers, PDAs, computers, or other devices that can store significant amounts of text.

Test Format and Topics

Duration, 120 minutes, this room, Friday 7 May 1999.

Exam time 10:00-12:00 (noon).

Three problems and one set of short-answer questions.

Comprehensive.

FR-1

How to Allocate Study Time:

10% How an OS works.

15% How interrupts work.

25% Solve timing problems.

25% Working on conditioning problems.

10% How transducers and sensors work.

15% Miscellaneous.

How To Prepare

Study material.

If necessary, re-solve this semester's homework assignments.

Solve past homework and exam problems.

N.B., solving a problem <u>is not</u> the same as memorizing a solution.

This Review:

- Overview of Real Time Systems
- Conditioning Problems
- Sensors, Transducers, and Physical Quantities
- Circuits
- Error
- OS Overview
- \bullet Task Scheduling
- Interrupt Mechanism
- Interrupt Timing
- Priority Assignment
- Schedulability Tests
- Resource Blocking and Deadlock

Parts of RTS

Sensor, Actuator, Process, Computer

Know how each part fits into whole system.

Know how RT computer hardware and software are different than general purpose computer and software.

Challenges in Building a RTS

Specification, testing, evaluating reliability.

Purpose: convert a process variable value ...

... into an electrical or information quantity.

Solution to Typical Problem:

• Identify what is given and what output is needed.

Be sure to identify **what form** output is needed in: ...

- ... voltage, current, number written in a computer memory, etc.
- Choose transducer (or use one specified)
 - ... to convert process variable to a raw electrical quantity.
- Choose analog-to-digital converter, if necessary.
- Design conditioning circuit ...
 - \dots to convert raw electrical quantity \dots
 - \ldots to a form suitable for an analog-to-digital converter \ldots
 - \ldots or to the form requested in the problem statement \ldots
 - ... or to whatever form is specified in the problem.
- Design interface routine.

Interface routine must account for: Transducer Response

FR-5

Conditioning Circuit Response Analog to Digital Conversion ... and ... The Desired Output

Each problem has its own constraints ...

- \ldots those constraints must be identified \ldots
- ... and the circuit designed accordingly.

For every sensor and transducer:

- Be able to explain how it works.
- Know its strengths and weaknesses
 - \ldots relative to other sensors measuring same physical quantity.
- Understand the units in which the process variable is measured.

If a model function was presented in class:

• Know which conditioning circuit(s) to use.

Temperature Definition

Know definition of thermodynamic and practical scales.

Thermistor

Know how to derive linear model from model function.

Know how to use linearization circuit (shunt resistor).

RTD

Know how to use three-wire bridge connection.

Thermocouple

Know how to use tables.

Know how to use isothermal block.

Integrated Temperature Sensor

Engineer-friendliness.

Light Sensors

Units

Definition of different quantities, e.g., irradiance.

Radiometric v. photometric units.

Know how to convert between quantities under simple situations.

Photodiode, phototransistor.

Vacuum-tube photocell, photomultiplier.

Displacement and Proximity Sensors

Potentiometer

LVDT

Capacitive

Coded

Relative v. absolute types.

Know gray/binary conversion.

Reed Switch

Hall Effect

Magnetic Reluctance

Cross-correlation speed sensor.

EE 4770 Lecture Transparency. Formatted 9:53, 30 April 1999 from lslifr.

Strain, Force, and Pressure

Units

Definition of strain, force, and pressure.

Different measures of pressure.

Strain Gauge.

Derivation of gauge factor.

Use in bridge.

Force

Construction of large- and small-displacement sensors.

Pressure

Construction of large-displacement sensors.

Construction of diaphragm sensors.

EE 4770 Lecture Transparency. Formatted 9:53, 30 April 1999 from lslifr.

Flow

Units, etc.

Measures of flow: volumetric, mass, velocity.

Open v. closed conduit.

Fluid v. slurry.

Sensors

Rotation.

Obstruction.

Hot-wire anemometer.

Weir. (Water drop.)

Cross-correlation.

Doppler (sonar).

Chemical

Gas Sensors

Humidity.

Oxygen.

Fluid

Reference electrodes.

Ion concentration.

Amplifiers

Non-Inverting Amplifier

The Versatile Inverting Amplifier

"Plain" inverting amplifier.

Summing amplifier.

Gain/offset amplifier.

Current-to-voltage converter.

Instrumentation Amplifier

Other Circuits

Wheatstone bridge.

Know how to place complementary pairs in bridge.

Know exact and approximate formulæ.

EE 4770 Lecture Transparency. Formatted 9:53, 30 April 1999 from lslifr.

Error

Know definitions of error.

Remember that error is in the process-variable value, not the transducer output.

Operating Systems

Function: resource allocation.

Tasks

Difference between task, program, and executable.

Task Management

Task states.

Context switching.

Scheduling

Scheduling events.

Quantum and preemption.

Scheduling methods.

Performance Measures.

Hardware needed.

Steps in interrupt sequence.

Strong v. weak priority.

Different types of interrupts.

Estimating Latency

One-shot.

Periodic exhaustive.

Periodic statistical.

Priority Assignment and Static Scheduling

Cyclic Executive

Rate Monotonic Scheduling

Schedulability Tests

Locking and Blocking and Deadlocking

Use of resources, need for locking.

Locking protocols.

Timing with resource locking.

Deadlock avoidance.